Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22	apple\$5 same rendezvous	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:22
S2	10	(apple appletalk) same rendezvous	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 14:27
<b>S3</b>	22	zeroconf	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 14:28
S4	2	zeroconf and (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:16
S5	7	("5768531" "6009458" "6041343" "6128660" "6151621" "6167432" "6212548").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF .	2005/09/22 16:17
S6	79	apple and rendezvous	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:24
S7	10	apple same rendezvous	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 16:06
S8	935884	piconet\$1 ((personal pico) adj area network\$1) pan	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:37
S9	1067586	identify\$3 discover\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:36

S13	1031568	piconet\$1 ((personal pico) adj area network\$1) pan\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:57
S14	7085239	device\$1 computer\$1 client\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:37
S15	56976	S9 near3 S14	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2005/09/22 16:38
S16	10107	S15 same S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:39
S17	3409	S15 near3 S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:39
S18	3385	S17 same network\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 16:39
S19	12	("5768531").URPN.	USPAT	OR	OFF	2005/09/22 17:00
S20	103	(p2p (peer adj to adj peer) (instant adj messag\$3)) same (direct\$2 near connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S21	97	(p2p (peer adj to adj peer) decentralized) same (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 17:04
S22	128	(p2p (peer adj to adj peer) decentralized (ad adj hoc)) same (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF .	2005/09/22 17:15

S23	9	(p2p (peer adj to adj peer) decentralized (ad adj hoc)) same (instant adj messag\$3) same locat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 17:15
S24	54	(p2p (peer adj to adj peer) decentralized (ad adj hoc)) same (instant adj messag\$3) same direct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/22 17:17
S26	4351	p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 14:45
S29	775	(locat\$3 identify\$3) near10 (peer\$1 computer\$1 client\$1) near10 "same" near10 (S26 pan network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:52
S30	773	(locat\$3 identify\$3) near10 (peer\$1 computer\$1 client\$1) near10 "same" near10 (S26 network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:52
S31	300	(locat\$3 identify\$3) near5 (peer\$1 computer\$1 client\$1) near5 "same" near5 (S26 pan network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:54
S32	132	S31 same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF .	2005/09/26 09:53
S33	18	S31.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S34	21	(locate locating identify\$3) near5 (peer\$1 computer\$1 client\$1) near5 "same" near5 (S26 pan network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:54
S35	1031568	piconet\$1 ((personal pico) adj area network\$1) pan\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:57

			,			
S36	1456149	S35 network\$1 lan\$1 (local adj area adj network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:58
S37	4616	((identify\$3 locating locate list\$3) neár3 (device\$1 client\$1)) near5 S36	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:59
S38	22	S37 same (direct\$2 near3 connection\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 09:59
S39	562	(p2p piconet\$1 pan pans (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) near5 (direct\$2 near3 (connect\$4 communicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:06
S40	. 79	S39 same (locat\$3 identify\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:12
S41	282	(p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) near5 (direct\$2 near3 (connect\$4 communicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:16
S42	9	S41.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR ·	OFF	2006/03/20 10:13
S43	36	S41 same (locat\$3 identify\$3 find\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S44	0	(p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) near5 (direct\$2 near3 (connect\$4 communicat\$3)) near5 (transition\$5 handoff\$1 (hand\$3 adj off\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:43

			_			
S45	1	(p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) near5 (direct\$2 near3 (connect\$4 communicat\$3)) same (transition\$5 handoff\$1 (hand\$3 adj off\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:18
S46	1	((p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) near5 (direct\$2 near3 (connect\$4 communicat\$3))) same (transition\$5 handoff\$1 (hand\$3 adj off\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:17
S53	3	("6580704" "5666661" "5903618"). did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:29
S54	19	("5666661").URPN.	USPAT	OR	OFF	2005/09/26 10:32
S55	0	(p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) near5 (direct\$2 near3 (mode\$1 connect\$4 communicat\$3)) near5 (transition\$5 handoff\$1 (hand\$3 adj off\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/09/26 10:44
S56	9	(p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) same (direct\$2 near3 (mode\$1 connect\$4 communicat\$3)) same (transition\$5 handoff\$1 (hand\$3 adj off\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF ·	2005/09/26 10:44
S57	. 0	("6580704" "5666661" "5960360" "5995500").pn. and (bluetooth jabber)	USPAT	OR	OFF	2005/09/26 11:22
S58	3001	709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:15
S60	56673	(international adj business adj machines).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S61	95	betzler.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14

S62	115	bluetooth same (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 14:54
S63	43	S62 same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 14:53
S64	1	"20030163525"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 14:54
S65	1	"20030163525".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 14:54
S66	88	((peer adj ("2" to) adj peer) p2p) same (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 14:54
S67	50	((peer adj ("2" to) adj peer) p2p) near5 (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 14:54
S68	5	S67 same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 15:07
S69	435	microsoft.as. and (direct adj connection\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 15:07
S70	12	microsoft.as. and (msn adj messenger) and (direct near5 (messag\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF ·	2006/03/18 15:12
S71	2	("5666661" "5903618").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/18 15:13

			_	_		
S73	1	"20030112823".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; · IBM_TDB	OR	OFF	2006/03/20 09:01
S78	334	(p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer) bluetooth) near5 (direct\$2 near3 (connect\$4 communicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:13
S79	10	S78.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:13
S80	43	S78 same (locat\$3 identify\$3 find\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S81	148	(p2p (peer adj to adj peer) (instant adj messag\$3)) same (direct\$2 near connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S82	5311	p2p piconet\$1 (personal adj area adj network\$1) (peer adj to adj peer)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S83	352	(locat\$3 identify\$3) near5 (peer\$1 computer\$1 client\$1) near5 "same" near5 (S82 pan network\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S84	18	S83.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S85	98	betzler.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:14
S86	60242	(international adj business adj machines).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:43

	-					
S87	3441	709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:15
S88	6066	709/204-207.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:43
S89	6662	709/227-229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:16
S90	1641	709/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/03/20 10:16
S91	6	("6018619" "6182228" "6266707" "6301669" "6330562" "6615357"). pn.	USPAT	OR	OFF	2006/06/08 09:58
S92	4	("20030018912" "20020184533" "6128298" "6484257").did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:00
S93	46	(direct adj connection\$1) same (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:06
S94	1	S93.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/06/08 10:06
S95	622	(direct adj connection\$1) and (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:07
S96	4	S95 and (aol (america adj online)). as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:06

		•	_			
S97	96	(establish\$3 same (direct adj connection\$1)) and (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:07
S98	8	(establish\$3 same (direct adj connection\$1)).ab. and (instant adj messag\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:08
S99	654	messag\$3 same client\$1 same (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:13
S10 0	14	S99.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:09
S10 1	10013	((im (instant adj messag\$3) near3 client\$1)) same (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:14
S10 2	5	S101.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:14
S10 3	330	((im (instant adj messag\$3) near3 client\$1)) near10 (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 09:46
S10 4	330	((im (instant adj messag\$3) near client\$1)) near10 (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:15
S10 5	5	((im (instant adj messag\$3)) near client\$1) near10 (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:15
S10 6	5	((im (instant adj messag\$3)) near3 client\$1) near10 (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:15

S10 7	31	((im (instant adj messag\$3)) near3 client\$1) same (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:59
S10 8	7	(buddy adj list\$1) same (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 11:00
S10 9	353	(buddy adj list\$1) and (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/06/08 10:59
S11 0	1	"20030112823".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR 	OFF	2006/08/25 09:33
S11 1	0	"20030112823".did. and (login\$1 password\$1 username\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 09:33
S11 2	0	"20030112823".did. and (authenticat\$4 login\$1 password\$1 username\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 09:33
S11 3	370	(im (instant adj messag\$3)) near10 (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 09:47
S11 4	4	S113.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 09:48
S11 5	74	S113 same server\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 09:49
S11 6	188	(buddy adj list\$1) near5 address\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	OFF	2006/08/25 09:49

S11 7	1	S116 same (direct\$2 near2 (connect\$3 connection\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 09:50
S11 8	40	S116 same (connect\$3 connection\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 10:19
S11 9	4571	bluetooth near10 (range\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 10:24
S12 0	0	bluetooth near10 brige\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 10:24
S12 1	62	bluetooth near10 connect\$1 near10 internet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 10:24
S12 2	458	bluetooth near10 connect\$5 near10 internet\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 10:24
S12 3	21	S122.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 10:24
S12 4	6696	709/204-207.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:43
S12 5	7339	709/227-229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:43
S12 6	1776	709/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:43

S12 7	63907	(international adj business adj machines).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:43
S12 8	98	betzler.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:44
S12 9	7	S127 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2006/08/25 11:44